

**LONDON**



# LONDON STANDARD CONCRETE MIXERS

**OSHKOSH**

# LONDON STANDARD CONCRETE MIXERS... FEATURE EQUIPPED FOR PERFORMANCE.

# LON



*Eaton heavy duty series hydrostatics provide high torque capability for efficient loading, mixing and discharge of low slump concrete. An "A pad" pump provides reliable power for the main chute.*



*The mixer drum is driven by a ZF PK7500 planetary direct drive gearbox providing over 53,000 ft.lbs. of torque. A 15 gallon oil tank is incorporated into the front pedestal.*



*The standard lighting system utilizes Trucklite sealed lights, junction box and harness. Optional dual tail lites shown.*



*Chute cradles are available for side mount, fender mount or vertical storage.*

# LONDON



## Quality, Integrity, Service and Innovation

These form the foundation  
of the London commitment  
to product performance.

As an industry leader for  
over 100 years - London has  
provided expertise in  
manufacturing the finest,  
most durable concrete  
mixers worldwide.



Roll formed fenders are available in steel and aluminum. Light weight poly fenders are also available. Mid-ship combination signal/clearance lights are standard.



Rear pendant on 20 ft. quick disconnect cable incorporates control for mix/discharge, engine throttle as well as optional air chute lock, chute lift, air lift hopper and drum pause/resume.



Positive 7 position chute lock system with replaceable pin hole plate. Optional air operated chute lock provides infinite positioning of the chute.

1

16

